

Fig. 1

Fig. 2





Fig. 1A




Fig. 1B




Fig. 3C




Fig. 3B




Fig. 3A







Fig. 4

FIG. 4A is a schematic diagram of a vertical structure 40. The structure includes a vertical member 41 and a horizontal member 43. A wavy line 50 is shown within the structure. A vertical member 42 is at the top, and a horizontal member 44 is at the bottom. A vertical member 45 is on the right side. A vertical member 46 is at the bottom left. A vertical member 47 is on the right side. A vertical member 48 is on the right side. A vertical member 49 is on the right side. A vertical member 49A is on the right side. A vertical member 51 is at the top. A vertical member 52, 52A is on the right side. A vertical member 53 is on the right side. A vertical member 54 is at the bottom left. A vertical member 55 is at the bottom left.






Fig. 7

FIG. 8 is a perspective view of the device 70 in a closed position. The device 70 includes a main body 71 and a lid 73. The lid 73 is hinged to the main body 71 at a hinge 74. The lid 73 is shown in a closed position, covering the main body 71. The device 70 is shown in a perspective view, with the lid 73 and the main body 71 being the primary components. The hinge 74 is located at the bottom of the lid 73 and the main body 71. The device 70 is shown in a perspective view, with the lid 73 and the main body 71 being the primary components. The hinge 74 is located at the bottom of the lid 73 and the main body 71.




Fig. 8




Fig. 8B




Fig. 8A

